# This file contains all MicroStation SS2 variables as exported by the command: mdl load cfgvars printCfgVarResource

### **System Environment Category**

Cfg Var Name Long Description

MS\_CONFIG Main MicroStation configuration file, sets up all configuration variables.(MS\_CONFIG)

RSC\_COMP Specifies text to be inserted at the beginning of the command line by the resource compiler. This is generally used to specify where to search for include files. (RSC\_COMP)

MDL\_COMP Specifies text to be inserted at the beginning of the command line by the MDL compiler and rsctype. This is generally used to specify where to search for include files. (MDL\_COMP)

BMAKE\_OPT Command line options for BMAKE\_This is generally used to specify where to search for bmake include (.mki) files.(BMAKE\_OPT)

MS\_DEBUGMDLHEAP Set to the base name of an MDL application (or "ALL").If set use extended malloc for debugging. This must be set as a system environment variable.(MS\_DEBUGMDLHEAP)

# **Configuration Category**

Cfg Var Name Long Description

MS\_USERPREF\_APPS Set by application configuration files to add user preferences to standard dialogs. (MS\_USERPREF\_APPS)

MSDIR The MicroStation root installation directory.(MSDIR)

MSLOCAL Specifies the base directory path for where the required writable portions (i.e. local for a network install) of MicroStation are installed.(MSLOCAL)

\_USTN\_DEFUSERINTNAME Subdirectory under "\_USTN\_USERINT" that actually contains the default user interface resource modification files. (\_USTN\_DEFUSERINTNAME)

\_USTN\_USERINTNAME Subdirectory under "\_USTN\_USERINT" that actually contains the user interface resource modification files. (\_USTN\_USERINTNAME)

USTN USERINTROOT Root directory containing product-specific interface directories.( USTN USERINTROOT)

\_USTN\_USERINT User interface data directory.(\_USTN\_USERINT)

USTN PROJECTNAME MicroStation base project name. ( USTN PROJECTNAME)

USTN USERCFG MicroStation user configuration file name.( USTN USERCFG)

\_USTN\_USERNAME MicroStation base user name.(\_USTN\_USERNAME)

USTN DEFAULTUSER CFG FILE Base name of the configuration file that holds the default user name.( USTN DEFAULTUSER CFG FILE)

\_USTN\_USER Directory containing MicroStation user configuration files.(\_USTN\_USER)

\_USTN\_PROJECTDATA Directory containing project-specific data.(\_USTN\_PROJECTDATA)

\_USTN\_PROJECTSROOT Directory containing project-specific sub-directories.(\_USTN\_PROJECTSROOT)

\_USTN\_PROJECT Directory containing MicroStation project configuration files.(\_USTN\_PROJECT)

\_USTN\_DATABASE Directory containing MicroStation database configuration files.(\_USTN\_DATABASE)

USTN SITE Directory containing MicroStation site configuration files.( USTN SITE)

\_USTN\_APPL Directory containing MicroStation application configuration files.(\_USTN\_APPL)

\_USTN\_WORKSPACEROOT Root directory containing all workspace files.(\_USTN\_WORKSPACEROOT)

USTN SYSTEMROOT Directory containing system workspace files.( USTN SYSTEMROOT)

\_USTN\_SYSTEM Directory containing MicroStation system configuration files.(\_USTN\_SYSTEM)

\_USTN\_DATABASECFG MicroStation database configuration file name.(\_USTN\_DATABASECFG)

\_USTN\_DATABASENAME Base name of current database configuration file.(\_USTN\_DATABASENAME)

\_VERSION89 Indicates that the current product's version number is 9.x. (\_VERSION89)

\_PLATFORMNAME Short name of this platform. Useful for building platform-specific sub-directories. (\_PLATFORMNAME)

WORKDIR Directory where MicroStation was started. ( WORKDIR)

\_USTN\_HOMEROOT Defines the root location for Bentley product-specific data that is unique to a computer or workstation. (\_USTN\_HOMEROOT)

\_USTN\_HOMEPREFS Defines the location of home (or local) preferences. (\_USTN\_HOMEPREFS)

\_USTN\_DOCUMENTATIONROOT Defines the root location for product documentation. (\_USTN\_DOCUMENTATIONROOT)

_USTN_CAPABILITY_V7	Defines one or more capabilities in V7 workmode that are to be restricted. See MicroStation's documentation for a full list of features and capabilities that can be restricted. This variable only restricts capabilities in V7 workmode. (_USTN_CAPABILITY_V7)
_USTN_CAPABILITY_DGN	Defines one or more capabilities in DGN workmode that are to be restricted. See MicroStation's documentation for a full list of features and capabilities that can be restricted. This variable only restricts capabilities in V8 DGN workmode. (_USTN_CAPABILITY_DGN)
_USTN_CAPABILITY_DWG	Defines one or more capabilities in DWG workmode that are to be restricted. See MicroStation's documentation for a full list of features and capabilities that can be restricted. This variable only restricts capabilities in DWG workmode. (_USTN_CAPABILITY_DWG)
_USTN_CAPABILITY	Defines one or more capabilities in MicroStation that are to be restricted. See MicroStation's documentation for a full list of features and capabilities that can be restricted. This the master capability configuration variable that applies to all workmodes. (_USTN_CAPABILITY)
_USTN_BENTLEYROOT	Defines the root directory for Bentley product suite. The followingvariables are based on _USTN_BENTLEYROOT: _USTN_WORKSPACEROOT.(_USTN_BENTLEYROOT)
_USTN_PROJECTSUBDIRS	List of subdirectories automatically created for a new project. (_USTN_PROJECTSUBDIRS)
_ROOTDIR	Location (directory) of the MicroStation executable. (_ROOTDIR)
_USTN_OUT	Base directory for MicroStation output files. (_USTN_OUT)
_USTN_CHARTRAN	Directory containing character translation tables. (_USTN_CHARTRAN)
_USTN_NEWDGNFILE	List of MDL applications to be reloaded each time a new design file is opened, except when it is the first design file. (_USTN_NEWDGNFILE)
_USTN_FIRSTDGNFILE	List of MDL applications that are loaded on startup after the user selects an initial design file. (_USTN_FIRSTDGNFILE)
_USTN_REQUIREDAPPS	List of MDL applications that are required to be loaded while MicroStation is running. (_USTN_REQUIREDAPPS)
_USTN_DISPLAYALLCFGVARS	If set, all configuration variables (including those of the format _USTN_xxx) will be displayed.(_USTN_DISPLAYALLCFGVARS)
_ENGINENAME	The name of the Foundation Product (e.g., MicroStation). (_ENGINENAME)
_MICROSTATION	Set if product is MicroStation. (_MICROSTATION)
_INTELNT	Set if operating system is Windows. (_INTELNT)
_WINNT	Set if operating system is Windows NT. (_winNT)

# **ALL lists only**

Cfg Var Name	Long Description
MS_ANNOTATIONSCALEPROPAG	GATION Controls the propagation of a model's annotation scale changes to existing annotations. If set to NEVER, the scale will not be propagated. If undefined or set to any other value, the scale will be automatically propagated. (MS_ANNOTATIONSCALEPROPAGATION)
MS_AUTO_UPDATE_FIELDS	Controls the rules for updating fields in the active model. If set to ALWAYS, the fields will always be kept up to date. If set to NEVER, the fields will never be updated. If not set or if set to FOLLOWMODELFLAG, the model's "Update Fields" flag will be followed. (MS_AUTO_UPDATE_FIELDS)
MS_NOTEAUTOUPDATE	This variable controls the list of note-settings that will be propagated to existing notes when a dimension style is saved. To propagate all the note-settings, set the variable to 'all'. To control individually, the attributes can be one or more of the following as a comma separated list: TextRotation, HorizontalAttachment, EditAbout, HorizontalJustification, VerticalLeftAttachment, VerticalRightAttachment (MS_NOTEAUTOUPDATE)
MS_DIMLEGACYPOINTORDER	If set to 1, the dimensioning tools will use the legacy datapoint sequence for placing linear and angular dimensions (ie., StartPoint - ExtensionPoint - EndPoint) instead of the current datapoint sequence (ie., StartPoint - EndPoint - ExtensionPoint). (MS_DIMLEGACYPOINTORDER)
MS_USECUSTOMSHEETSIZEDEF	If set to 0, the sheet sizes will be derived from the active plotter driver. If set to 1, the sheet sizes in the Sheet Size definition file (MS_CUSTOMSHEETSIZEDEF) will be available for creating sheet models. If set to 2, the sheet sizes from both sources will be used for creating sheet models. (MS_USECUSTOMSHEETSIZEDEF)
_USTN_SYSTEMTABLES	Specifies the root directory for system table directories. (_USTN_SYSTEMTABLES)
_USTN_RASTERTABLE	Specifies the location of the Units.ini file, used to upgrade MS/J Raster Manager projects to V8. (_USTN_RASTERTABLE)
_USTN_CUSTOMIZEBASEID	Specifies a base number at which Customize will begin generating ids for user-created resources. After this value has been set, Customize will not create any resources with a resource id lower lower than this value.
_USTN_RMGR_MAXFILEPTRS	Specifies the maximum number of operating system file pointers that the Resource Manager will use internally to manipulate all its logical resource file handles. In version 5, this alue was fixed at 6. Starting in version 5.5, the new default is 12 but can be overridden by this configuration variable.
PZIP_OUT	Specifies the default directory for creation of Packager files. (PZIP_OUT)

MS\_SIGNATURE\_SHOW\_FULL\_NAME If set, MicroStation displays the full subject and issuer names from the signer's certificate in the element info balloon for a digital signature element

MS\_SIGNATURE\_DISPLAY\_UNVERIFIED Controls how an unverified digital signature is crossed out. The value is:

MS\_SIGNATURE\_SHOW\_FULL\_NAME)

color weight style strikeout
where: color a number, specifying menu color identifier number
weighta number, specifying the lineweight of the annotation
style a number, specifying the style
strikeouthow to strike out the signature:
Xdraw an X over the signature

-draw a line through the middle of the signature

The default is a heavy, solid red X over the signature:  $470 \, \text{X}$ To draw a heavy, solid blue line through the signature:  $170 \, \text{A}$ 

### (MS SIGNATURE DISPLAY UNVERIFIED)

MS\_BASICEXT\_LOAD List of MDL applications that implement extensions to the BASIC language (MS\_BASICEXT\_LOAD)

MS\_DATA Directory for data files created/used by MicroStation.(MS\_DATA)

MS\_OLDUSERLICENSE File containing old user license information. Necessary for an upgrade installation. (MS\_OLDUSERLICENSE)

MS\_USERLICENSE File containing user license information.(MS\_USERLICENSE)

\_DGNFILE Name of the current Design File (abbreviated).Not editable.(\_DGNDIR)

DGNDIR Directory containing the current Design File.Not editable.( DGNDIR)

MicroStation command window resource file.If not defined, use default.(MS\_CMDWINDRSC)

MS\_GUIHAND Identifies auxiliary handlers.(MS\_GUIHAND)

MS\_HELPLOAD\_SERVER Specifies the root location of the Help content.(MS\_HELPLOAD\_SERVER)

MS HELPLOAD APPLICATION Determines which application help is based on. Current options are HTMLHelp (default), or StaticWeb. StaticWeb refers to static HTML pages on a

website.(MS HELPLOAD APPLICATION)

MS\_HELPPATH MicroStation help path.(MS\_HELPPATH)

MS\_RIGHTLOGICKB If set equal to 1, support typing from right to left. Used for foreign language support.(MS\_RIGHTLOGICKB)

MS INITAPPS List of all initial start up MDL Applications. (MS INITAPPS)

MS\_RSRC Main MicroStation resource, typically set to "ustation.rsc". (MS\_RSRC)

MS\_DGNOUT Directory containing design files created from "on the fly" translations. (MS\_DGNOUT)

USTN ALTCHARTRAN Alternate character translation table. ( USTN ALTCHARTRAN)

MS\_DEFCHARTRAN Default character translation table.(MS\_DEFCHARTRAN)

MS\_CODESET MDL application for handling multi-byte character sets.(MS\_CODESET)

MS\_OPENDESIGNFILEFILTER If this variable is set, then the File Open dialog will use the value as the initial filter. An example value is "\*.\*".(MS\_OPENDESIGNFILEFILTER)

MS\_SMARTSOLID The directory containing the SmartSolid subsystem.(MS\_SMARTSOLID)

MS\_SNAP\_TANGENT\_POINT\_DEFAULT\_MODE

The snap mode used to compute the location of a perpendicular or tangent point snap. Applies only when perpendicular or tangent point is the default

snap mode. Possible values are: b - bisector, i - intersection, k - keypoint, m - midpoint, m1 - multisnap1, m2 - multisnap2, m3 - multisnap3. The default is

'k' (keypoint). (MS\_SNAP\_TANGENT\_POINT\_DEFAULT\_MODE)

MS\_SNAPMODE\_SOURCE Where to read default snap mode and multi-snaps settings from. Possible values are 0 for the current dgn file or 1 for the userprefs file. The default is 0. (MS\_SNAPMODE\_SOURCE)

MS\_VIEWATTRIBUTES\_PLUGINASSEMBLIES List of assemblies to search in for view attributes dialog plugin groups. (MS\_VIEWATTRIBUTES\_PLUGINASSEMBLIES)

### **Primary Search Path Category**

Cfg Var Name Long Description

MS\_ECFRAMEWORK\_SCHEMAS A path to search for ECSchemas (libraries of item types) that define Engineering Content. (MS\_ECFRAMEWORK\_SCHEMAS)

MS ECTREE LIBRARIES List of DGN files in which to find ECTree definitions. (MS ECTREE LIBARIES)

MS\_DGNLIBLIST List of DGN files which are used as resource for your current session.(MS\_DGNLIBLIST)

MS\_DEF Search Path for design files.(MS\_DEF)

MS\_RFDIR Search path for references.(MS\_RFDIR)

MS\_MDLAPPS Search path for MDL applications that are displayed in the MDL dialog box.(MS\_MDLAPPS)

MS\_MDL Search path for MDL applications or external programs loaded by MDL applications.(MS\_MDL)

MS\_ADDINPATH Search path for managed Addin assemblies that are deployed outside of MicroStation's application base or configured privatePath.(MS\_ADDINPATH)

MS\_ADDIN\_DEPENDENCYPATH Search path for managed assemblies that are used by AddIns and which are deployed outside of MicroStation's application base or configured privatePath. Directories should not

normally be listed both here and in MS\_ADDINPATH.(MS\_ADDIN\_DEPENDENCYPATH)

MS\_MACRO Search path for macros.(MS\_MACRO)

MS\_RSRCPATH Search path for resource files loaded by MDL applications.(MS\_RSRCPATH)

MS\_GUIDGNLIBLIST List of DGN files which store Tool, Task, and Menu customizations for your current session.(MS\_GUIDGNLIBLIST)

MS\_LIBRARY\_PATH Search path for dynamic link libraries.(MS\_LIBRARY\_PATH)

RDL DIR Defines the location and/or extension of the Bentley Redline generated redline file that the Redline On tool searches for Defaults to <ActiveFileName>.rdl in the same directory as

the active DGN file.(RDL DIR)

DWGRDL\_DIR Defines that location and/or file name appendage of the Bentley Redline generated DWG redline file that the Redline On tool searches for Defaults to

<activeFileName> redline.dwg in the same directory as the active DWG file.(DWGRDL DIR)

MS\_FILTER\_LIB\_DIR Directory containing filter data files.(MS\_FILTER\_LIB\_DIR)

MS\_LINFILELIST Directory containing LIN linestyle files. These styles will be copied into the DGN file as needed. (MS\_LINFILELIST)

\_USTN\_SYSTEMDGNLIBLIST List of DGN files which are required system resources.(\_USTN\_SYSTYEMDGNLIBLIST)

#### **Printing Category**

Cfg Var Name Long Description

MS PLTCFG PATH specifies the search path for printer driver configuration (.pltcfg or .plt) files. This path is also used to locate related files such as PostScript prolog files.

MS\_DEFAULT\_PLTCFG\_FILE is set to a printer driver configuration filename, that file (instead of the most recently used one) is selected when you open the Print dialog box. The

value of this variable may be either a .pltcfg or .plt file.

MS\_PLT\_SYSPRT\_PLTFILE (MS\_PLT\_SYSPRT\_PLTFILE)

If this variable is set to a fully-qualified printer driver configuration filename, then that file is used when Windows Printer is selected in the Print dialog box.

MS PLT SYSPRT DEFAULT PRINTER

MS\_PLT\_SYSPRT\_DEFAULT\_PRINTER allows you to specify the printer name that is selected when a default system printer is opened.

 ${\sf MS\_PLT\_SYSPRT\_DEFAULT\_FORM}$ 

MS\_PLT\_SYSPRT\_DEFAULT\_FORM allows you to specify the form name that is selected when a default system printer is opened.

 ${\sf MS\_PLT\_SYSPRT\_DEFAULT\_TRAY}$ 

MS\_PLT\_SYSPRT\_DEFAULT\_TRAY allows you to specify the tray name that is selected when a default system printer is opened.

MS PLTFILES specifies the output directory for print files. If this variable is undefined, the default is the most-recently-used output directory.

MS\_PRINTDEF\_PATH MS\_PRINTDEF\_PATH specifies the search path for saved MicroStation printdefinition (.pset and .ini) files.

MS\_PENTABLE Search path for pen tables. (MS\_PENTABLE)

MS PLT PREVIEW USABLEAREACOLOR

MS\_PLT\_PREVIEW\_USABLEAREACOLOR specifies the color of the usable area rectangle in the preview window. If zero, the rectangle is not drawn. For legal values, see the description for MS\_PENTABLE\_DISABLECOLOR.

MS PLT PREVIEW PLOTBOXCOLOR

MS\_PLT\_PREVIEW\_PLOTBOXCOLOR specifies the color of the print bounding box rectangle in the preview window. If zero, the rectangle is not drawn. For legal values, see the description for MS\_PENTABLE\_DISABLECOLOR.

MS\_PLT\_PREVIEW\_PLOTFENCECOLOR

MS\_PLT\_PREVIEW\_PLOTFENCECOLOR specifies the color of the print fence shape in the preview window. If zero, the shape is not drawn. For legal values, see the description for MS\_PENTABLE\_DISABLECOLOR.

MS\_PLTDLG\_UNLOADONCLOSE Controls whether the print dialog is unloaded when its window is closed. If '1' or undefined, the print dialog application unloads itself when its dialog is closed, and all settings

revert to their defaults when the dialog is reopened. If this variable is set to '0', the application remains loaded after the window is closed, and certain settings are retained when the print dialog is reopened. For consistent behavior of the print dialog, it's recommended that this variable be undefined. Note that selecting File->Exit from the print

dialog menu always unloads the application. (MS PLTDLG UNLOADONCLOSE)

MS\_PLTDLG\_CLOSE\_AFTER\_PLOT If MS\_PLTDLG\_CLOSE\_AFTER\_PLOT is set to '1', the print dialog closes itself automatically after a plot job is successfully performed. By default, the print dialog remains

displayed after a plot.

MS\_PLT\_ENABLE\_SCALE\_CLIPPING If MS\_PLT\_ENABLE\_SCALE\_CLIPPING is set to '0', the plot dialog does not reduce the plot fence or sheet size in order to accommodate the user-or-sheet-specified scale factor.

MS PLT ENABLE PRESERVE SCALE If MS PLT ENABLE PRESERVE SCALE is set to '0', the plot dialog does not attempt to preserve the current plot scale when a new view, fence, or paper size is selected.

MS\_PLT\_ENABLE\_AUTO\_ROTATE If MS\_PLT\_ENABLE\_AUTO\_ROTATE is set to '0', the print dialog does not automatically change the plot rotation in order to achieve a best fit. This variable only applies to

Bentley plotter drivers.

MS\_PLT\_ENABLE\_AUTO\_ORIENT If MS\_PLT\_ENABLE\_AUTO\_ORIENT is set to '0', the print dialog does not automatically change the paper orientation in order to achieve a best fit. This variable only applies to

system printers.

MS\_PLT\_AREA\_PRIORITY If MS\_PLT\_AREA\_PRIORITY is set to '1', sheet definitions in the model take priority over the active fences are ignored when the print area mode is sheet. This is the

default setting. If this variable is set to '2', the active fence takes priority over sheet definitions.

MS PLT FORM SCALE PRIORITY If MS PLT FORM SCALE PRIORITY is set to '1', the default form scale specified in the printer driver configuration is re-applied whenever the paper size changes. By default, the

current print scale is preserved.

MS PLT SET LAYOUT FROM SHEET If MS PLT SET LAYOUT FROM SHEET is set to '0', the print dialog layout is not automatically set when a sheet definition is loaded (and the current print mode is sheet). By

default, the sheet layout information is honored.

MS_PLT_SET_PLOT_STYLE_TABLE_FROM_SHEET		By default, any plot style table specified in the sheet definition is automatically attached to the plot.If MS_PLT_SET_PLOT_STYLE_TABLE_FROM_SHEET=0, sheet plot style tables are ignored.
		IEW_AREA is set to '1', the print size is automatically maximized when the print area is changed. This includes when a view number is selected or a fence is current print scale is preserved.
encompasses all the el		VIEW is set to '1' or '2', the print dialog automatically sets the print area mode to 'Fence' when first invoked. A value of '1' constructs a fence that ements in the master file. A value of '2' constructs a fence that encompasses all the elements in the master file and all its references. If an active fence or the print dialog is invoked, this configuration variable is ignored.
MS_PLTDLG_SHOW_BASIC_LAYOUT_CONTROLS		If MS_PLTDLG_SHOW_BASIC_LAYOUT_CONTROLS is set to '1', the print dialog arbitrary plot rotation and mirror controls are hidden. The orthogonal plot rotation option button is displayed instead.
MS_PLTDLG_ALLOW_FORM_SIZE_EDIT		If MS_PLTDLG_ALLOW_FORM_SIZE_EDIT is set to '1', the size of the selected form may be modified via the print dialog. This setting is not valid for system printers.
MS_PLT_SHOW_PRINT_STATUS		If MS_PLT_SHOW_PRINT_STATUS is set to '1', the print dialog displays a modeless status / progress / cancel dialog during a print job. This is the default behavior. If this variable is set to '0', the print status dialog is not displayed.
MS_PLT_THUMBNAIL_PREVIEW_TIMEOUT		If MS_PLT_THUMBNAIL_PREVIEW_TIMEOUT is set to a value greater than zero, it specifies the maximum number of seconds to spend updating the print dialog thumbnail preview. The default is 10 seconds.
MS_PLTDLG_SHOW_ACCURATE_PREVIEW_ROTATION		If MS_PLTDLG_SHOW_ACCURATE_PREVIEW_ROTATION is set to '0', preview always shows the plot as if it had no rotation. The paper orientation display may be swapped to accomplish this. This setting is only meaningful for Bentley printer drivers when the plot rotation is 90 or 270 degrees.
MS_PLT_SET_UNITS_FROM_SHEET		If MS_PLT_SET_UNITS_FROM_SHEET is set to '0', the print dialog units are not automatically set from the sheet definition when the current print mode is sheet.
MS_PLTDLG_KEEPVIEWFLAGSONFENCECHANGE		When a new fence is placed, the print dialog obtains new view information from the view the fence was placed in, and resets the print attributes if t new fence view is different than the current print view. However, if MS_PLTDLG_KEEPVIEWFLAGSONFENCECHANGE is set, the print dialog will always reserve current print attributes.
MS_PLOTDLG_DEF_PENTABLE	Defines a default pen ta	able that is loaded when you open the Print dialog box. (MS_PLOTDLG_DEF_PENTABLE)
MS_PLTDLG_SETUPSYSPRT_ENABLE_PRINT MS_PLTDLG_SETUPSYSPRT_ENABLE_PRINT		can be used to control the print behavior of the 'Configure Windows Printer' icon on the print dialog. By default, the print button on the Windows Print dialog in this mode saves printer driver changes without submitting a plot. If this variable is set to '1', the print button will submit a plot (original MicroStation V8 behavior).
MS_PLTDLG_ENABLE_SAVE_CONFIG		If MS_PLTDLG_ENABLE_SAVE_CONFIG is set to '0', the print dialog save configuration menu items are disabled.

If MS PLTDLG DISABLE\_PREFERENCES\_DIALOG is set to '1', the print dialog preferences item is not displayed in the Settings menu. MS PLTDLG DISABLE PREFERENCES DIALOG MS PLT SCALE METHOD The MS PLT SCALE METHOD determines how the print scale is displayed in the print dialog. This variable overrides the corresponding user preference. The following values are recognized: '1': the scale display is paper-to-design format (default). '2': the scale display is design-to-paper format. If this variable is not defined, the user preference controls the scale method. This variable also controls the appearance of MS PLTSCALE SHORT. MS PENTABLE IMPORTEMPTYSECTIONS By default, during AutoCAD plot style table import, pen table sections which have no effect (the settings are default) are ignored. Setting this variable to 1 will cause empty sections to be created. (MS PENTABLE IMPORTEMPTYSECTIONS) MS PENTABLE DISABLECOLOR A disabled section in a pentable is shown in medium gray by default. You can modify the disabled color by setting this configuration variable to one of these numbers: blue=1; red=4; magenta=5; light-gray=8; medium-gray=10; turquoise=13; dark-green=14; maroon=15; dark-yellow=17. (MS PENTABLE DISABLECOLOR) MS PENTABLE SLOTNUM MATCH APPLIES TO CHILD By default, a pen table reference slot number match applies to both a parent reference and its children. If MS PENTABLE SLOTNUM MATCH APPLIES TO CHILD is set to 0, then the slot number match applies only to the parent reference. MS PENTABLE SEARCH LEVEL LIBRARIES If MS\_PENTABLE\_SEARCH\_LEVEL\_LIBRARIES is set to 0, level libraries are not included when searching for level names defined in the pen table. By default, level libraries are included, which may cause a delay when loading the pen table. MS\_PENTABLE\_IMPORTCTB\_NOPENMAP By default, the pen table creates printer driver pen maps when importing CTB files. This permits proper color-to-width resymbolization of multi-colored elements. The legacy, element-output-action-based behavior may be restored by setting the MS\_PENTABLE\_IMPORTCTB\_NOPENMAP configuration variable. MS PLTFILE EDITOR Fully qualified name of a text editor to use when the print dialog's 'File / Edit Printer Driver Configuration' menu item is activated. For example, set the value to 'notepad.exe' (without the quote marks) to use the Windows notepad text editor. If this variable is not defined, the print dialog automatically chooses the correct editor based on the printer driver configuration file format. Legacy .plt files are edited using notepad, while .pltcfg files are edited using the built-in MicroStation Printer Driver Configuration Editor. There are two reserved values for this variable: 'HIDE MENU ITEM': Removes the Edit and Reload Printer Driver Configuration menu items from the print dialog's file menu. 'MicroStation': Always use the built-in MicroStation Printer Driver Configuration Editor. MS PLNONAME If set, the RTL/PCL drivers will not insert the DGN name in the output file. Adding the DGN name should allow a printer to display the name in its front panel window, etc. but setting this variable will allow the feature to be disabled, since some printers cannot handle it. (MS PLNONAME) MS PLT INVERT WHITE COLORS The MS PLT INVERT WHITE COLORS variable allows you to override the colors that are automatically inverted from white to black if necessary. If this variable is not defined, the default inverted color numbers are 0 and/or 7, depending on the drawing file format and color table. The syntax for this value is the same as a level number list, with range 0-254.

MS\_PLT\_AUTOAREA\_RESULT\_LIMIT MS\_PLT\_AUTOAREA\_RESULT\_LIMIT defines the maximum number of print definitions to be created when searching for multiple shapes or cells. The default limit is 500.

MS PLT ABBREVIATE BORDER FILENAME by default, filenames included in the plot border text are abbreviated. If MS PLT ABBREVIATE BORDER FILENAME is set to '0', the filenames are not abbreviated.

MS\_PLT\_UPDATE\_FIELDS Controls when fields are updated prior to printing or previewing. If set to 0 or undefined, fields are not updated prior to either printing or previewing. If set to 1, fields are

updated prior to printing. If set to 2, fields are updated prior to both printing and previewing. (MS\_PLT\_UPDATE\_FIELDS)

MS\_PLT\_ENGINE\_CMDLINE\_ARGS Specifies custom command line arguments used by Print Organizer when invoking its background MicroStation process. If this variable is undefined and MS\_CONFIG is defined, then the background process is invoked with the command line argument -wc"\$(MS\_CONFIG)" (MS\_PLT\_ENGINE\_CMDLINE\_ARGS)

### **Cell Category**

Cfg Var Name Long Description

MS\_DETAILINGSYMBOLS\_CELLLIST List of cell library files to be searched for cells used as callout-heads in detailing symbols. By default, cells in ustation.dgnlib are used. (MS\_DETAILINGSYMBOLS\_CELLLIST)

MS\_CELL Search path(s) for cell libraries.(MS\_CELL)

MS CELLLIST List of cell library files to be searched for cells if not found in the current library. May contain wildcards. (MS CELLLIST)

MS\_CELLSELECTORDIR Directory for Cell Selector button configuration (.csf) files. (MS\_CELLSELECTORDIR)

MS CELLSELECTOR Default Cell Selector button configuration file. (MS CELLSELECTOR)

MS CELLOUT Default directory when creating new cell libraries. (MS CELLOUT)

MS\_MENU Cell library name for finding menu cells.(MS\_MENU)

MS\_RESOLVESCNAMECONFLICTS Controls how shared cell name conflicts are handled for operations like reference merge:

0: no resolution, use shared cell definition from destination
1: resolve name conflicts on DWG shared cell instances (default)
2: resolve name conflicts for all non-anonymous shared cells

### **User Command Category (Unsupported)**

Cfg Var Name Long Description

MS\_UCM Search path(s) for user commands.(MS\_UCM)

MS\_INIT Name of a user command to be executed at startup.(MS\_INIT)

MS\_EXIT Name of a user command to be executed at exit.(MS\_EXIT)

MS NEWFILE Name of a user command to be executed when a new design file is opened.(MS NEWFILE)

MS\_APP Search path(s) of applications started from 'TSK' statement in user commands.(MS\_APP)

#### **Seed Category**

Cfg Var Name Long Description

MS PLANVIEWSEEDNAME Name of seed view for creating plan views. (MS PLANVIEWSEEDNAME)

MS\_ELEVATIONVIEWSEEDNAME Name of seed view for creating elevation views. (MS\_ELEVATIONVIEWSEEDNAME)

MS\_DETAILVIEWSEEDNAME Name of seed view for creating detail views. (MS\_DETAILVIEWSEEDNAME)

MS SECTIONVIEWSEEDNAME Name of seed view for creating section views. (MS SECTIONVIEWSEEDNAME)

MS\_VIEWSEEDFILE Name of seed file for creating views. By default, seed views in ustation.dgnlib are used. (MS\_VIEWSEEDFILE)

MS\_VIEWGROUPSEED Name of file containing seed view group for models without a view group. (MS\_VIEWGROUPSEED)

MS\_VIEWGROUPSEEDNAME Name of seed view group for models without a view group. (MS\_VIEWGROUPSEEDNAME)

MS\_DWGSEED Name of seed file used to create DWG file. (MS\_DWGSEED)

MS\_DWGSEED\_OVERRIDE Controls how a DWG seed file can be used to save DWG files: 0 = Allows seed file to be changed in DWG Save As Options dialog box; 1 = MS\_TRANSEED overrides user settings,

always; 2 = MS\_TRANSEED overrides user settings, only at start up of MicroStation.(MS\_DWGSEED\_OVERRIDE)

MS SEEDFILES Search path(s) for all seed files.(MS SEEDFILES)

MS\_DESIGNSEED Default seed file for creating design files.(MS\_DESIGNSEED)

MS\_TRANSEED Default seed file used for DWG, CGM, and IGES translations.(MS\_TRANSEED)

MS\_TRANSEED\_OVERRIDE Controls how a DGN seed file can be used to open DWG files: 0 = Allows seed file to be changed in DWG Open Options dialog box; 1 = MS\_TRANSEED overrides user settings,

always; 2 = MS\_TRANSEED overrides user settings, only at start up of MicroStation.(MS\_TRANSEED\_OVERRIDE)

MS\_CELL\_SEEDFILE Seed file used when creating or upgrading cell libraries.(MS\_CELL\_SEEDFILE)

MS\_SHEETSEED Seed file used when creating drawing sheets.(MS\_SHEETSEED)

MS\_DOCKINGPREFSEED Path of an XML file for default dialog docking preferences. (MS\_DOCKINGPREFSEED)

MS\_USERPREFSEED Name of seed file used to create user preference resource file. (MS\_USERPREFSEED)

MS\_DRAWINGMODELSEED Name of file containing seed model for new drawing models. (MS\_DRAWINGMODELSEED)

MS\_DRAWINGMODELSEEDNAME Name of seed model for new drawing models. (MS\_DRAWINGMODELSEEDNAME)

MS\_DESIGNMODELSEED Name of file containing seed model for new design models. (MS\_DESIGNMODELSEED)

MS\_DESIGNMODELSEEDNAME Name of seed model for new design models. (MS\_DESIGNMODELSEEDNAME)

MS SHEETMODELSEED Name of file containing seed model for new sheet models. (MS SHEETMODELSEED)

MS\_SHEETMODELSEEDNAME Name of seed model for new sheet models. (MS\_SHEETMODELSEEDNAME)

MS\_DWGSHEETMODELSEED Name of file containing seed model for new sheet models in DWG files. (MS\_DWGSHEETMODELSEED)

MS\_DWGSHEETMODELSEEDNAME Name of seed model for new sheet models in DWG files. (MS\_DWGSHEETMODELSEEDNAME)

# **Temp/Backup Category**

Cfg Var Name Long Description

MS\_DWG\_BACKUP Directory for DWG backup (.bak) files. If not set they will be placed in the same directory as the DWG file (MS\_DWG\_BACKUP)

MS\_BACKUP Default directory for backup files.(MS\_BACKUP)

MS\_TMP Directory containing temporary files that are created and deleted.(MS\_TMP)

MS\_SCR Directory for scratch files.(MS\_SCR)

# **Colors Category**

Cfg Var Name Long Description

MS\_DEFCTBL Default color table if the design file has none.(MS\_DEFCTBL)

MS RMENCTBL Default menu colors (dialogs, dialog borders, etc.) for the right screen. File specification pointing to a color table (.tbl) file (MS RMENCTBL)

MS\_LMENCTBL Default menu colors (dialogs, dialog borders, etc.) for the left screen. File specification pointing to a color table (.tbl) file (MS\_LMENCTBL)

MS\_COLORBOOK\_LIBRARIES List of of DGN files that are used as a source for color books (MS\_COLORBOOK\_LIBRARIES)

MS\_SYSTEM\_COLORBOOKS Directory containing system color books (delivered with MicroStation). (MS\_SYSTEM\_COLORBOOKS)

**Symbology Category** 

Cfg Var Name Long Description

MS\_FONTPATH Path or list of paths that contain RSC, SHX, or TrueType font files. (MS\_FONTPATH)

MS\_SYMBRSRC A list of symbology resource files. Files are opened in the order they appear in the list. The last one in the list has the highest priority. If undefined, in the current resource path

is searched for a file called "mssymb.rsc".(MS\_SYMBRSRC)

### **System Operation Category**

Cfg Var Name Long Description

MS\_COMPRESS\_OPTIONS Set the values for individual items by alias. To turn an item on, precede the alias with a +. To turn an item off, precede the alias with a -. For example, +TEXTSTYLES;-LEVELS will

delete unused text styles but leave unused levels. The special aliases ALL and DEFAULT can be used here. + DEFAULT means that any items not in the list should default to on; -

DEFAULT means that any items not in this list should default to off. If this variable is set, it will override user preferences. (MS\_COMPRESS\_OPTIONS)

MS\_AUTORESTORESTATUSBAR If set to 1, the status bar will restore its default appearance whenever the mouse enters it. (MS\_AUTORESTORESTATUSBAR)

MS\_FKEYMNU Function key menu file.(MS\_FKEYMNU)

MS\_ACCUDRAWKEYS Text file listing AccuDraw shortcut keys.(MS\_ACCUDRAWKEYS)

MS\_SAVEMENU File where MicroStation stores information about attached menus. In previous versions this file name was hard-coded to "mgds.men". (MS\_SAVEMENU)

MS\_APPMEN Location of application and sidebar menus.(MS\_APPMEN)

MS WORKSPACEOPTS If set to 0 (default), the workspace options are displayed on the File Open dialog box. If set to 1, the workspace options are displayed but disabled. If set to 2, the workspace

options are hidden and the dialog box is resized. (MS\_WORKSPACEOPTS)

MS USECOMMANDWINDOW If set to 0, MicroStation will be locked in the status bar interface. If set to 1, MicroStation will be locked in the command window interface. (MS USECOMMANDWINDOW)

MS\_MAINMENUDOCKINGBESIDE If set to a non-zero value, tool boxes and dockable dialogs may be docked alongside the main menu bar. If not set (default) or set to 0, MicroStation's main menu bar spans the

entire width of the application window.

MS FILEHISTORY If set equal to 1, save the last several files and directories for each file type. If set equal to 0, no file histories will be maintained.(MS FILEHISTORY)

MS\_READONLY If set, design file will be read only. (MS\_READONLY)

MS\_WORKMODE Work mode activates/disables certain functions in order to produce a more compatible design file at the end. Setting this variable to DWG will disable some creation tools that

may result in elements to be incompatible to DWG file format. Similarly setting it to V7 will restrict creation tools for pre-V8 file compatibility. Setting the variable to DGN (default)

will gain full functional capacity creating elements. Must restart MicroStation to take effect of a changed value. (MS\_WORKMODE)

MS\_IMMEDIATEUPDATE If set to 1, windows will update immediately when other windows are moved or resized over them.(MS\_IMMEDIATEUPDATE)

MS OPENV7 Controls the behavior when opening V7 format files:

0: open with alert dialog (default)

1: upgrade V7 to V8, no alert dialog

2: open V7 as read-only, no alert dialog

3: open V7 for read/write and set workmode to V7, no alert dialog (MS OPENV7)

MS\_DISABLE\_FILE\_ICONS When turned on, this configuration variable will disable the file open icons in the File Open dialogs. (MS\_DISABLE\_FILE\_ICONS)

MS\_SOURCENAME\_PROPERTY When new files are created, the SOURCE file property (as viewed from Windows Explorer) can be set to the name of the source file (e.g. the seed file). By default, just the name

and extension of the source file are saved. Set this variable to 0 to disable the SOURCE property. Set this variable to FULL to save the full file path of the source file.

MS DISABLE FILE THUMBNAIL When turned on, this configuration variable will disable the file preview thumbnail images in the File Open dialogs. (MS DISABLE FILE THUMBNAIL)

MS\_IDLETIMEOUT If defined, specifies the number of minutes of inactivity to wait before exiting MicroStation. Minimum value is 30 minutes. A value of 0 means never exit, even when idle.

MS\_POPUPDIALOGCLOSEDELAY Specifies the amount of time to wait before closing a popup dialog (Eg. the dialogs launched from the Primary toolbox). The value, specified in 1/60 second increments, should

be a number between 0 (very little delay) and 120 (2 seconds). The default is 30 (1/2 second).

MS FULLPATHINTITLEBAR When turned on, the full path of the current Design File is displayed in the main title bar.

MS\_NO\_VIEW\_ANIMATION When turned on, the animation of view tile and cascade is disabled.

MS LIBRARY SAVEDVIEW FILTER Specifies a set of saved views to exclude from the user interface. The filter is applied only to views found in libraries. For filter syntax see the MicroStation help topic 'Defining

and Deleting Filters' for string expressions.(MS\_LIBRARY\_SAVEDVIEW\_FILTER)

#### Rendering/Image Category

Cfg Var Name Long Description

MS\_LOCAL\_MATERIALS If set to 1, rendering materials and their associated assignment tables are copied into the design file rather than using external files. Local material support is new in MicroStation

V8i (SELECTseries 2) and is not supported by earlier versions (MS\_LOCAL\_MATERIALS).

MS\_MTBL Search path(s) for material tables.(MS\_MTBL)

MS\_MATERIAL Search path(s) for material palettes.(MS\_MATERIAL)

MS\_PATTERN Search path(s) for pattern maps.(MS\_PATTERN)

MS\_BUMP Search path(s) for bump maps.(MS\_BUMP)

MS\_IMAGE Search path(s) for images.(MS\_IMAGE)

MS\_IMAGEOUT Directory where created images will be stored. (MS\_IMAGEOUT)

MS\_SHADOWMAP Directory where shadow maps will be read from and written to. (MS\_SHADOWMAP)

MS\_LIGHTING Directory where IES lighting data will be read from. (MS\_LIGHTING)

MS\_LIGHTLIST List of design files containing light sources to be used as templates when placing lights. All lights found in these files can be selected from the drop-down next to the light name

in the Define Light tool. (MS LIGHTLIST)

MS\_RENDERLOG File name for recording rendering statistics. (MS\_RENDERLOG)

MS PTDIR Working directory for temporary Particle Tracing files. (MS PTDIR)

MS\_SHARED\_DR\_DIR Working directory for shared rendering files, including Particle Tracing and Radiosity files. (MS\_SHARED\_DR\_DIR)

MS IMAGE EDITOR Default program to be used to edit an image file. This program is activated by double-clicking in the preview area of the Map Editor dialog. (MS IMAGE EDITOR)

MS\_MATERIAL\_PREVIEW\_BACKGROUND Image to be used for the background of material previews in the Material Editor. (MS\_MATERIAL\_PREVIEW\_BACKGROUND)

MS\_FILTEREDCODECS Codecs that should not be shown in the list of available AVI codecs when exporting a movie from animator. (MS\_FILTEREDCODECS)

MS\_RENDERV7MATERIALS If set to 1, materials are rendered as they were in V7. Most affected are translucency, transparency, specularity, and diffuse as applied to pattern maps. (MS\_RENDERV7MATERIALS)

#### **Database Category**

Cfg Var Name Long Description

MS\_UDLDIR Path to the directory storing the Universal Data Link files.(MS\_UDLDIR)

MS\_ORACLE\_HOME Path to the Oracle client files required for connecting to the database server. If this variable is not set MicroStation will look at the system registry and path to determine the Oracle

Home directory.(MS ORACLE HOME)

MS\_DBASE Search Path(s) for database files.(MS\_DBASE)

MS\_SERVER MDL application to load the database server.(MS\_SERVER)

MS\_DBEXT The database server application.(MS\_DBEXT)

MS\_LINKTYPE WARNING: This configuration variable is reset by the database configuration files. Changes should be made in the BUDBC.cfg, the ODBC.cfg, the ODBC.cfg, or the Oracle.cfg files. The variable is the User data linkage types recognized by the server. The first one listed is the linkage type that will be created. Possible values are "BUDBC", "DMRS", "ORACLE", "OLEDB", and "ODBC". (MS\_LINKTYPE)

# **Data Files Category**

Cfg Var Name	Long Description
MS_CUSTOMSHEETSIZEDEF	Defines the location of the sheet sizes definition file that can be used when creating sheet models.(MS_CUSTOMSHEETSIZEDEF)
MS_CUSTOMSCALEDEF	Defines the location of the scales definition file that can be used when creating models.(MS_CUSTOMSCALEDEF)
MS_CUSTOMUNITDEF	Defines the location of the unit definition file that can be used when upgrading pre-V8 files to V8 DGN files.(MS_CUSTOMUNITDEF)
MS_HTMLDGNDIR	Directory containing template design files used by the HTML Author to generate cell images for HTML documents.(MS_HTMLDGNDIR)
MS_WMS_SERVERS_SEED	Used to create a new MS_WMS_SERVERS file if the MS_WMS_SERVERS file does not already exist.(MS_WMS_SERVERS_SEED)
MS_WMS_SERVERS	Provides the list of servers for the Web Map Service dialogs.(MS_WMS_SERVERS)
MS_DATETIMEFORMATS	Provides the list of formats available from the Fields editor for Date/Time fields.(MS_DATETIMEFORMATS)
MS_SETTINGS	Current settings resource file.(MS_SETTINGS)
MS_SETTINGSOUTDIR	Directory used to create settings resource files.(MS_SETTINGSOUTDIR)
MS_SETTINGSDIR	Directory containing settings resource files.(MS_SETTINGSDIR)
MS_REMAP_CSVFILE (MS_REMAP_CSVFILE)	If this configuration variable points to a remapping comma separated value (CSV) file, the remap filter defaults to that file for the remapping during the Save As operation.
MS_BSILOG_CONFIG_FILE	Location of the file that controls and configures diagnostic logging. The default is \$(MS_DATA)BSILOG.CONFIG.XML. (MS_BSILOG_CONFIG_FILE)
MS_BSILOG_ENABLE	Enable logging of diagnostic messages. The default is 0. (MS_BSILOG_ENABLE)

# **BASIC Development Category**

Cfg Var Name Long Description

### **MDL Development Category**

Cfg Var Name Long Description

MS\_RDE\_SYSINC Specifies text to be inserted at the beginning of the command line by the resource compiler DLM. This is generally used to specify where to search for include files.

(MS\_RDE\_SYSINC)

MS\_DBGSOURCE Used by the debuggers to find source code for JMDL classes and MDL applications.(MS\_DBGSOURCE)

MS\_MDLTRACE If set to 1, additional debugging print statements will be provided when debugging MDL applications.(MS\_MDLTRACE)

MS\_DEBUGFAULT If set to 1, automatically invoke the debugger when a fault is detected while an MDL application is active. This works regardless of whether or not the application's debug

information was previously loaded.(MS\_DEBUGFAULT)

MS\_DEBUG If set to an integer with bit 1 on, do not time out.(MS\_DEBUG)

MS\_TRAP Exception handling flag.Set to "NONE", "MDL", or "ALL"; Default = "ALL".(MS\_TRAP)

### **DGNAPPS Category**

Cfg Var Name Long Description

MS\_DGNAPPS List of all design file MDL Applications. (MS\_DGNAPPS)

# **Command Table Load Category**

Cfg Var Name Long Description

MS\_CMDTABLE\_LOAD List of MDL Applications that will have their key-in tables auto-loaded. (MS\_CMDTABLE\_LOAD)

# **DWG/DXF Search Path**

Cfg Var Name Long Description

MS\_DWG\_COMMANDPREFIX Defines prefix for keyins that specify DWG commands

MS\_DWG\_PGPFILE PGP files contain aliases for DWG commands.If no directory is specified, the AutoCAD support directory is used. (MS\_DWG\_PGPFILE)

MS\_DWGSETTINGSFILE File containing Settings for opening and saving DWG FILES. (MS\_DWGSETTINGSFILE)

MS\_DWGSYSTEMDATA Directory that can be used to override local directory as a source for DWG settings files.(MS\_DWGSYSTEMDATA)

MS\_DWGDATA Local directory to store DWG settings files.(MS\_DWGDATA)

MS\_BLOCKLIST List of DWG/DXF files to be searched for AutoCAD blocks.(MS\_BLOCKLIST)

MS\_DWGFONTPATH Path or list of paths that contain AutoCAD SHX fonts. (MS\_DWGFONTPATH)

MS\_ACADDIR Directory containing AutoCAD. This is used to find the DWG support files such as fonts (See MS\_DWGFONTPATH). (MS\_ACADDIR)

MS\_DWG\_FIELD\_2005FORMATTING If defined and set to 1, MicroStation will only generate field information that AutoCAD 2005 supports. It may remove information used by newer file formats. If not defined or set to a value other than 1, MicroStation may generate fields that AutoCAD 2005 does not support. (MS\_DWG\_FIELD\_2005FORMATTING)

# **CGM-Translation Category**

Cfg Var Name Long Description

MS\_CGMIN Input directory for CGM translations.(MS\_CGMIN)

MS\_CGMOUT Output directory for CGM translations.(MS\_CGMOUT)

MS\_CGMLOG Output directory for CGM log files.(MS\_CGMLOG)

MS\_CGMTABLES Directory containing the CGM translation tables.(MS\_CGMTABLES)

MS\_CGMINSET Settings file for the CGMIN application.(MS\_CGMINSET)

MS\_CGMOUTSET Settings file for the CGMOUT application.(MS\_CGMOUTSET)

# **IGES-Translation Category**

Cfg Var Name Long Description

MS\_IGESIN Input directory for IGES translations.(MS\_IGESIN)

MS\_IGESOUT Output directory for IGES translations.(MS\_IGESOUT)

MS\_IGESLOG Output directory for IGES log files.(MS\_IGESLOG)

MS\_IGESINSET Settings file for the IGESIN application.(MS\_IGESINSET)

MS\_IGESOUTSET Settings file for the IGESOUT application.(MS\_IGESOUTSET)

# **Workspace Category**

Cfg Var Name Long Description

\_USTN\_PROJECTCFG Name of project configuration file. (\_USTN\_PROJECTCFG)

\_USTN\_PROJECTDESCR Description of current project configuration. (\_USTN\_PROJECTDESCR)

MS\_USERPREF Name of user preference resource file. (MS\_USERPREF)

\_USTN\_UIPATH Search path for user interface modification resources. (\_USTN\_UIPATH)

# **Tags Category**

Cfg Var Name Long Description

MS\_TAGOUTPUT Output directory for general tags data.(MS\_TAGOUTPUT)

MS\_TAGREPORTS Output directory for tag data manager reports.(MS\_TAGREPORTS)

MS\_TAGTEMPLATES Directory containing tag data manager report templates.(MS\_TAGTEMPLATES)

# **Archive Category**

Cfg Var Name Long Description

MS\_ARCHIVE Search path(s) for Archive Files. (MS\_ARCHIVE)

MS\_ARCHIVECLASS Search path(s) for Archive Class Files. (MS\_ARCHIVECLASS)

MS\_KEYPAIRLIST Digital Signature KeyPair file list. (MS\_KEYPAIRLIST)

# File Locking Category

Cfg Var Name Long Description

# **OLE Server Category**

Cfg Var Name Long Description

MS\_OLESERVE\_EMBED\_REFFILES If set - References will be embedded along with the main dgn file. (MS\_OLESERVE\_EMBED\_REFFILES)

# **Engineering Links Category**

Cfg Var Name	Long Description
MS_WEBLIB_HISTORY	Specifies the history file for the Weblib shared library. (MS_WEBLIB_HISTORY)
MS_BOOKMARKS_IMAGE	Specifies the bookmark file for remote images. (MS_BOOKMARKS_IMAGE)
MS_BOOKMARKS_RSC	Specifies the bookmark file for remote resource files. (MS_BOOKMARKS_RSC)
MS_BOOKMARKS_ARCHIVE	Specifies the bookmark file for remote archives. (MS_BOOKMARKS_ARCHIVE)
MS_BOOKMARKS_CELL	Specifies the bookmark file for remote cell libraries. (MS_BOOKMARKS_CELL)
MS_BOOKMARKS_DGN	Specifies the bookmark file for remote design files. (MS_BOOKMARKS_DGN)
MS_REFAGENTDATA	Specifies a file containing URL information for the Reference Agent. (MS_REFAGENTDATA)
MS_WEBKIOSKMODE	Set to 1 for Kiosk mode. (MS_WEBKIOSKMODE)
MS_WEBTYPESFILE	Specifies a file containing special handling instructions for various file types. (MS_WEBTYPESFILE)
MS_WEBFILES_DIR	Specifies the directory in which copies of remote files are stored. (MS_WEBFILES_DIR)
MS WEBDOWNLOADDIR	Sets the directory in which WWW downloads are stored. (MS_WEBDOWNLOADDIR)

MS\_BROWSERMAKECHILDWINDOW When set to 1, the current browser is reparented inside of the MicroStation main window, allowing the viewer to always be seen. (MS\_BROWSERMAKECHILDWINDOW)

MS USEEXTERNALBROWSER Set to Netscape or IExplore in order to use an external browser. (MS USEEXTERNALBROWSER)

# **Step-Translation Category**

Cfg Var Name Long Description

MS\_STEPOUT Output directory for Step translations.(MS\_STEPOUT)

MS\_STEPLOG Output directory for Step log files.(MS\_STEPLOG)

MS ROSEDB Rose database directory.(MS ROSEDB)

# **Visual Basic for Applications Category**

Cfg Var Name Long Description

MS\_VBASAVEONRUN If set to 1, MicroStation automatically saves modified VBA projects every time it starts running a VBA program.(MS\_VBASAVEONRUN)

MS\_VBAAUTOLOADPROJECTS Names of the projects that are opened when the VBA dialog box is opened.(MS\_VBAAUTOLOADPROJECTS)

MS\_VBASEARCHDIRECTORIES Directories that are searched when opening an existing VBA project. (MS\_VBASEARCHDIRECTORIES)

MS\_VBANEWPROJECTDIRECTORY Directory that is used when a new project is created. (MS\_VBANEWPROJECTDIRECTORY)

# **Spelling Category**

Cfg Var Name	Long Description
MS_SPELLINGUSERDICTIONARY	Specifies the user dictionary. (MS_SPELLINGUSERDICTIONARY)
MS_SPELLINGLANGUAGE	Specifies the language. Valid languages are as follows:
	AmericanEnglish
	BritishEnglish
	Brazilian (Brazilian Portuguese)
	Danish
	Dutch
	Finnish
	French
	German
	Italian
	Norwegian
	Spanish. (MS_SPELLINGLANGUAGE)
MS_SPELLINGDICTIONARYPATH	Specifies the directory to search for core dictionaries. (MS_SPELLINGDICTIONARYPATH)

Cfg Var Name Long Description

MS\_LEVEL\_DISPLAY\_FORMAT Specifies the level name formatting to use when level lists are displayed. (MS\_LEVEL\_DISPLAY\_FORMAT)

N: Use level name

D: Use level description

C: Use level code

More than one value can be specified. Example: N(C)

Default value: N

MS\_LEVEL\_EDIT\_NESTED\_ATTACHMENT\_LEVELS If defined, then allow editing of nested attachment levels (MS\_LEVEL\_EDIT\_NESTED\_ATTACHMENT\_LEVELS)

MS\_LEVEL\_ALLOW\_LIBRARY\_LEVEL\_EDIT (MS\_LEVEL\_ALLOW\_LIBRARY\_LEVEL\_EDIT). Allows the ability to edit library level even when it is not yet used in master-file. If not set, then a library level

can be edited only when if it is used - i.e an element is placed on it - which causes the library level to be copied into the master-file. If set then a library

level that is not yet copied into the master-file can be edited. On editing, the library level will be copied into the master-file.

MS\_LEVEL\_LOAD\_ATTACHMENT\_FILTERS If defined, then level-filters of reference attachments are loaded. (MS\_LEVEL\_LOAD\_ATTACHMENT\_FILTERS)

MS\_LEVEL\_EDIT\_ATTRIBUTE\_LIST This variable controls the list of reference or library level-attributes that can be edited (MS\_LEVEL\_EDIT\_ATTRIBUTE\_LIST). The attributes can be one or more of the following

as a comma separated list: OverrideSymbology, OverrideColor, OverrideStyle, OverrideWeight, OverrideMaterial, ByLevelSymbology, ByLevelColor, ByLevelStyle,

ByLevelWeight, ByLevelMaterial, GlobalDisplay, GlobalFreeze, DisplayPriority, Transparency, Lock, Plot. Each of the above attributes can take a "Reference" or "Library" prefix.

Without the prefix, the said attribute will be editable for both reference & library levels.

MS\_LEVEL\_SYNC\_ATTRIBUTE\_LIST Affects the "dgnlib update levels custom" & "reference synchronize levels custom" key-ins (MS\_LEVEL\_SYNC\_ATTRIBUTE\_LIST). This variable controls the list of level-attributes

that will sync-up when any of the above key-ins are executed. The attributes can be one or more of the following as a comma separated list: OverrideSymbology,

OverrideColor, OverrideStyle, OverrideWeight, OverrideMaterial, ByLevelSymbology, ByLevelColor, ByLevelStyle, ByLevelWeight, ByLevelMaterial, GlobalDisplay, GlobalFreeze, DisplayPriority, Transparency, Lock, Plot Each of the above attributes can take a "Reference" or "Library" prefix. Without the prefix, the said attribute will be synchronized for

both reference & library levels.

MS\_LEVEL\_AUTO\_SYNC\_ATTRIBUTE\_LIST (MS\_LEVEL\_AUTO\_SYNC\_ATTRIBUTE\_LIST). This variable controls the list of level-attributes that will automatically synchronize when a file is opened. The

attributes can be one or more of the following as a comma separated list: OverrideSymbology, OverrideColor, OverrideStyle, OverrideWeight,
OverrideMaterial, ByLevelSymbology, ByLevelColor, ByLevelStyle, ByLevelWeight, ByLevelMaterial, GlobalDisplay, GlobalFreeze, DisplayPriority,
Transparency, Lock, Plot Each of the above attributes can take a "Reference" or "Library" prefix. Without the prefix, the said attribute will be synchronized

for both reference 9 library levels

for both reference & library levels.

MS\_LEVEL\_SEED\_LEVEL\_NAME If defined, then name of seed level. A new level inherits its properties from the seed level. If not defined, then the default level is the seed level. (MS\_LEVEL\_SEED\_LEVEL\_NAME)

MS LEVEL CREATE FROM SEED ATTRIBUTE LIST This variable controls the list of level attributes that are copied from the seed level (MS LEVEL CREATE FROM SEED ATTRIBUTE LIST). The attributes can

be one or more of the following as a comma separated list: OverrideSymbology, OverrideColor, OverrideStyle, OverrideWeight, OverrideMaterial, ByLevelSymbology, ByLevelColor, ByLevelStyle, ByLevelWeight, ByLevelMaterial, GlobalDisplay, GlobalFreeze, DisplayPriority, Transparency, Lock, Plot.

MS\_UPDATE\_KEEP\_UNUSED\_LIBRARY\_LEVELS (MS\_UPDATE\_KEEP\_UNUSED\_LIBRARY\_LEVELS). Controls if unused library levels will be kept or deleted on a "dgnlib update levels" command. If is not set

or set to "0" then unused library levels will be deleted on executing a "dgnlib update levels" command. If set to "1" then unused library levels will be kept. If

set to "2" then unused library levels will be deleted if their attributes are the same.

MS\_LEVEL\_PICKER\_WIDTH (MS\_LEVEL\_PICKER\_WIDTH). Specifies the width, in pixels, of the Level Picker in the Attributes toolbox.

MS\_REF\_REATTACH\_LEVEL\_SYNC\_ATTRIBUTE\_LIST (MS\_REF\_REATTACH\_LEVEL\_SYNC\_ATTRIBUTE\_LIST). This variable controls the list of level-attributes that will sync-up when a reference is reattached. The

attributes can be one or more of the following as a comma separated list: OverrideSymbology, OverrideColor, OverrideStyle, OverrideWeight,

ByLevelSymbology, ByLevelColor, ByLevelStyle, ByLevelWeight, GlobalDisplay, GlobalFreeze, DisplayPriority, Transparency, Plot

MS\_LEVEL\_LIB\_DIR Directory containing level data files. (MS\_LEVEL\_LIB\_DIR)

MS\_V7TOV8\_CSVNAME CSV File which controls how levels are mapped when a V7 file is converted to V8. (MS\_V7TOV8\_CSVNAME)

MS\_V7\_LEVEL\_NAME\_PREFIX Prefix to apply to un-named Levels when a V7 file is converted to V8. (MS\_V7\_LEVEL\_NAME\_PREFIX)

MS V7TOV8 DELETE UNUSED LEVELS) This variable is ignored if "V7 to V8

Level CSV File (MS V7TOV8 CSVNAME)" variable is set.

#### **Unknown Category**

Cfg Var Name Long Description

MS\_DESIGN\_HISTORY\_COMMIT\_ON\_SAVE Specifies if the File>Save (^S) command should commit changes to design history. Possible values:

2 - Save command should quietly commit changes to design history without prompting the user and without a description,

1 - Save command should prompt the user, offering the chance to commit changes to design history with a description,

0 - Save command should save changes to the design file but should not commit to design history or prompt the user.

The default is 0 (do not prompt or commit). (MS DESIGN HISTORY COMMIT ON SAVE)

2 - Close command should quietly commit changes to design history without prompting the user and without a description, 1 - Close command should prompt the user, offering the chance to commit changes to design history with a description. 0 - Close command may save changes in the design file but should not commit changes to design history and should not prompt the user. The default is 0 (do not prompt or commit). (MS DESIGN HISTORY COMMIT ON CLOSE) MS DESIGN HISTORY COMMIT ON MODEL SWITCH Specifies if switching the active model should commit recent changes to design history. Possible values: 2 - Quietly commit changes to design history without prompting the user and without a description, 1 - Prompt the user, offering the chance to commit changes to design history, 0 - Do not commit to design history or prompt the user. The default is 0 (do not prompt or commit). (MS\_DESIGN\_HISTORY\_COMMIT\_ON\_MODEL\_SWITCH) MS DESIGN HISTORY OWNERSHIP WARNING Specifies if the user should be prompted to confirm when opening a file that contains changes made by another user and not yet committed. Possible values: 1 - Prompt for confirmation before opening the file, 0 - Open the file without prompting for confirmation. The default is 1 (prompt). (MS DESIGN HISTORY OWNERSHIP WARNING) MS DESIGN HISTORY COLORS The symbology to use when identifying changed and unchanged elements. The value must be a list of up to six symbology descriptors, in the following order: added; deleted; changed; pre-changed; conflicts; background. A symbology descriptor is: {color,weight,style,transparency}, where color is a menu color id between 0 and 31, weight is a line weight between 0 and 31, style is a linestyle index between 0 and 7, and transparency is a value between 0 and 255. Use -1 for each aspect of element symbology that should not be changed. For example, {2,3,1,200}; {4,3,1,200}; {1,3,1,200}; {3,3,1,200}; {6,3,1,200}; {-1,-1,-1,-1} will draw dotted highlighting around affected elements in green, red, blue, cyan, or yellow without changing their symbology. The braces may be omitted if only a color is specified. The default is: 2; 4; 1; 3; 6; 10 which means added elements are drawn in solid green, deleted in red, changed in blue, pre-changed in cyan, conflicts in yellow, and unchanged elements in medium grey. (MS DESIGN HISTORY COLORS) MS\_DESIGN\_HISTORY\_REVISION\_NUMBER\_FORMAT Specifies how to display a revision number. The syntax is: formatClause := { [ "[" range "]" ] msgFormatPattern }+

range := start [.end]

Specifies if changes should be committed to design history before closing the file. Possible values:

MS DESIGN HISTORY COMMIT ON CLOSE

```
msgFormatPattern := string [ "{" msgFormatElement "}" string ]*
msgFormatElement := argument [ "," elementFormat ]
elementFormat := "number" "cardinal""letter" [ "," letterStyle ]
letterStyle:= { "uppercase" | "lowercase" | "AA" | "AB" | {"omit" letter}* }+
The default is {0}.{1}
(MS_DESIGN_HISTORY_REVISION_NUMBER_FORMAT)
```

MS\_DESIGN\_HISTORY

Valid keywords: create, delete, commit, browse, tag, changedesc, changeauthor, combine, retire, setrevisionformat, setversion, autoupgrade. Set keyword=1 to enable or 0 to disable. Separate multiple settings by ';'

Default: MS\_DESIGN\_HISTORY=create=1;delete=0;commit=1;browse=1;tag=1;changedesc=0;changeauthor=0;combine=0;retire=0;setrevisionformat=1;setversion=1;autoupgrade=0

Example: MS\_DESIGN\_HISTORY=delete=1.

This allows users to delete design history.

Example: MS\_DESIGN\_HISTORY=delete=0;combine=1;retire=1.

This prevents users from deleting design history, but allows them to combine or remove revisions.

Example: MS\_DESIGN\_HISTORY=changedesc=1.

This permits users from changing the description of revisions after the fact.

(MS\_DESIGN\_HISTORY)

MS\_DESIGN\_HISTORY\_COMMIT\_DOC\_PROPERTIES

Should design history track changes to document properties such as Title, Author, and Comment?

The default is 1 (include doc properties in history). (MS\_DESIGN\_HISTORY\_COMMIT\_DOC\_PROPERTIES)

Cfg Var Name Long Description

MS\_PROTECTION\_ENABLE Set to 0 to disable file protection.

Set to 1 to enable password or certificate protection.

Set to 2 to enable password protection only.

Set to 3 to enable certificate protection only.

The default is 0 (disabled). (MS PROTECTION ENABLE)

MS PROTECTION V8 COMPATIBILITY Set to 1 if you want MicroStation to protect files and create licenses in a way that V8.1 and V8 2004 Edition can open.

Set to 0 if you want MicroStation to use stronger encryption, producing protected files that V8.1 and V8 2004 Edition cannot open.

The default is 0 (do not limit encryption strength). (MS\_PROTECTION\_V8\_COMPATIBILITY)

MS\_PROTECTION\_LICENSE\_ENABLE Set to 0 to disable license creation.

Set to 1 to enable password licenses.

Set to 2 to enable certificate licenses.

Set to 4 to enable Everyone licenses.

Set to 7 to enable all types of licenses.

Add individual values together to enable two or more license types.

The default is 7 (all types of licenses). (MS PROTECTION LICENSE ENABLE)

MS\_PROTECTION\_PASSWORD\_MIXED Set to 1 to require file protection passwords to be a mixture of letters and numbers. Set to 0 to allow passwords that contain only letters. The default is 0 (numbers not required). (MS\_PROTECTION\_PASSWORD\_MIXED)

A password containing a mixture of letters and numbers is harder to guess than a password containing only letters.

MS PROTECTION PASSWORD MINIMUM Sets the minimum length of a file protection password. The maximum is 80. The default is 5. (MS PROTECTION PASSWORD MINIMUM)

A password of less than 5 characters is relatively easy to guess, thus making a protected file vulnerable to unauthorized access.

MS\_PROTECTION\_NOENCRYPT\_THUMBNAIL Set to 1 to tell the Protect command to leave the file thumbnail unencrypted or 0 to allow Protect to encrypt the thumbnail. The default is 0 (encrypt).

(MS\_PROTECTION\_NOENCRYPT\_THUMBNAIL)

The thumbnail is an image of the last used view of the design file.

This image is displayed by Windows File Explorer and the File Open dialog.

NOTE: Leaving the thumbnail unencrypted means that anyone can see this image of the design file, even if that person has no right to open the file.

MS PROTECTION NOENCRYPT PROPERTIES Set to 1 to tell the Protect command to leave file properties unencrypted or 0 to allow Protect to encrypt file properties. The default is 0 (encrypt).

(MS\_PROTECTION\_NOENCRYPT\_PROPERTIES)

File properties include values such as Title, Subject, Author, Category, Keywords, and Comment.

These values are displayed by Windows File Explorer and the File Open dialog.

NOTE: Leaving file properties unencrypted means that anyone can see these property values, even if that person has no right to open the file.

# **Unknown Category**

Cfg Var Name Long Description

MS\_SECURITY\_LEVEL This is the security level for loading and running applications in MicroStation. Set to NONE to disable security checking. Set to LOW to allow any MDL or other application to be

loaded and used. Set to MEDIUM to allow only applications that are digitally signed by Bentley or by a certificate identified by MS\_SECURITY\_SPC. Set to HIGH to allow only

applications that are digitally signed by Bentley. The default is NONE. (MS SECURITY LEVEL)

MS\_SECURITY\_SPC This is the path where MicroStation can find the Software Publishing Certificates that were used to digitally sign the applications that can be loaded in MEDIUM security level. The

default is nil. (MS SECURITY SPC)

Cfg Var Name Long Description

MS\_DISTRIBUTED\_DGN\_AUTO\_FOCUS\_ON\_NEW\_CONFLICTS Specifies if the Conflicts dialog should pop up when the Refresh Local Copy command detects new conflicts.

The default is On. (MS DISTRIBUTED DGN AUTO FOCUS ON NEW CONFLICTS)

MS DISTRIBUTED DGN CONFLICT BY Specifies how conflicts should be detected. Possible values:

MODEL - changes within the same model are conflicts,

GG - changes involving the same graphic group are conflicts.

ELEMENT - changes to the same element are conflicts.

The default is MODEL. (MS\_DISTRIBUTED\_DGN\_CONFLICT\_BY)

## **Unknown Category**

Cfg Var Name Long Description

MS\_REF\_MASTERFILELAST\_SHEET Determines the default update sequence of references and master model for Sheet Models. This configuration variable is used at the time of creating a new model to set its

default update sequence. If 1, references are drawn first, then the master sheet model (MS\_REF\_MASTERFILELAST\_SHEET).

MS\_REF\_MASTERFILELAST\_DRAWING Determines the default update sequence of references and master model for Drawing Models. This configuration variable is used at the time of creating a new model to set its

default update sequence. If 1, references are drawn first, then the master drawing model (MS\_REF\_MASTERFILELAST\_DRAWING).

MS\_REF\_MASTERFILELAST\_DESIGN Determines the default update sequence of references and master model for Design Models. This configuration variable is used at the time of creating a new model to set its

default update sequence. If 1, references are drawn first, then the master design model (MS\_REF\_MASTERFILELAST\_DESIGN).

MS REF DEFAULTATTACHDIRECTORY If this variable is set, the reference attachment file dialog defaults to this directory rather than the directory of the last attached

reference.(MS REF DEFAULTATTACHDIRECTORY).

MS\_REF\_DEFAULTSETTINGS (MS\_REF\_DEFAULTSETTINGS). This variable controls the default settings for reference attachments. It is set to a comma-separated list of key=value pairs, for example:

"snap=1,locate=0,trueScale=1,scaleLineStyles=0", Recognized keys and values include display=0|1, snap=0|1, locate=0|1, treatAsElement=0|1,

attachMethod=coincident|world|geoReprojected|geoAECTransform, useLights=0|1, saveRelativePath=0|1, scaleLineStyles=0|1, ignoreWhenNesting=0|1,

	displayRasterRefs=0 1, displayBoundary=0 1, newLevelDisplay=fromconfig always never, nestMode=live copy none, nestDepth=value, nestOverrides=allow always never, useAnnotationScale=0 1, synchWithSavedView=0 1, levelControlsDisplay=0 1, plotAs3D=0 1
MS_DISALLOWFULLREFPATH	When set to 1, MicroStation does not save the full path to references. By default, MicroStation stores both an abbreviated (portable) path and the full path to references. The full path will be wrong if the directory structure for a project is changed or if a different file server drive letter is used, so it can cause inconsistent reference file location in those situations. Therefore, some sites prefer that the full path not be saved. (MS_DISALLOWFULLREFPATH)
MS_REF_NEWLEVELDISPLAY	When set to 1, MicroStation displays newly created levels in references. By default, when new levels are created in a model that is referenced by another model, the new levels are not displayed when the referencing model is opened. Newly created levels are considered to be new until 'Save settings' is performed. Recognizing new levels and controlling their display is only possible when using the MicroStation V8 file format for both the reference and the master file. (MS_REF_NEWLEVELDISPLAY)
MS_NEST_COLORADJUSTMENT	If not set, the color adjustment for the top level reference controls the color adjustment for all nested references. When set to any value, nested reference color adjustments at each level are multiplied to get the net adjustment. For example, with C attached to B with a saturation adjustment of 80%, and B attached to A with a saturation adjustment of 70%, C will display in A with a saturation adjustment of 56% if MS_NEST_COLORADJUSTMENT is defined, and with saturation adjustment of 70% if it is not. (MS_NEST_COLORADJUSTMENT)
MS_REF_DONTHILITEFORMANIP	By default, MicroStation hilites all elements in a reference file when the reference is manipulated (move, rotate, scale, etc.) If MS_REF_DONTHILITEFORMANIP is set to any value,

Cfg Var Name	Long Description	

MS\_STANDARDSCHECKER\_SETTINGSFILE If this variable is set, the specified file is always used for standards checking. (MS\_STANDARDSCHECKER\_SETTINGSFILE)

MS\_STANDARDSCHECKER\_SETTINGSNAME If this variable is set, the specified names settings are always used for standards checking. (MS\_STANDARDSCHECKER\_SETTINGSNAME)

MS\_STANDARDSCHECKER\_OUT Default directory for standards checker reports.(MS\_STANDARDSCHECKER\_OUT).

MS\_STANDARDSCHECKER\_STYLESHEET If this variable is set, it specifies the XML Style Sheet that is used to view the Standards Checker XML report. The variable can be either a file or a URI

(Universal Resource Identifier) that can be used by the browser to locate the style sheet. If this variable is not set, the XML style sheet in

\$(\_USTN\_WORKSPACEROOT)system/data/standardschecker.xsl is used. (MS\_STANDARDSCHECKER\_STYLESHEET)

this hiliting is disabled. This can speed up reference manipulations, but it is more difficult to tell which references are getting manipulated. (MS\_REF\_DONTHILITEFORMANIP)

MS\_STANDARDSCHECKER\_APPS The list of MDL applications that are loaded when the Standards Checker is started. (MS\_STANDARDSCHECKER\_APPS)

\_\_\_\_\_

Cfg Var Name	Long Description
MS_DGNAUTOSAVE	Determines the frequency, in seconds, of the auto-save timer for V8 format Files. For example, if set to 2 (the default), an auto-save will occur when there was no user activity for about 2 seconds. If set to 0, auto-save is disabled. (MS_DGNAUTOSAVE)
MS_V7AUTOSAVE	Determines the frequency, in seconds, of the auto-save timer for V7 format files. For example, if set to 300 (the default), an auto-save will occur approximately 5 minutes after the first change to the design. The minimum value is 30 seconds. (MS_V7AUTOSAVE)
MS_V7AUTOSAVE_NODIALOG	V7 format files take far longer than V8 format design files to save. Therefore, by default MicroStation displays a dialog box allowing the user to defer the auto-save operation. If this configuration variable is set, this dialog box is skipped and auto-save occurs automatically. (MS_V7AUTOSAVE_NODIALOG)
MS_V7BACKUPV8	If this variable is set when working on a V7 DGN file, MicroStation will automatically create a backup file in V8 format every time you save. This provides a fallback in cases where you inadvertently create information that cannot be represented in the V7 format. This variable specifies a 'template' that is used to create the backup filename. If you simply set the value to 'true', a file in the same directory as the original with the extension '.v8' is created.
MS_DWGAUTOSAVE	Determines the frequency, in seconds, of the auto-save timer for DWG and DXF format files. For example, if set to 300 (the default), an auto-save will occur approximately 5 minutes after the first change to the design. The minimum value is 30 seconds. (MS_DWGAUTOSAVE)
MS_DWGAUTOSAVE_NODIALOG	DWG and DXF format files take far longer than V8 format design files to save. Therefore, by default MicroStation displays a dialog box allowing the user to defer the auto-save operation. If this configuration variable is set, this dialog box is skipped and auto-save occurs automatically. (MS_DWGAUTOSAVE_NODIALOG)

# **Unknown Category**

Cfg Var Name	Long Description
MS_RASTER_IMG_STRETCH	When this variable is defined and set to ON, an automatic contrast stretch will be applied to all attached Erdas IMG rasters.
	The default value is OFF. (MS_RASTER_IMG_STRETCH)
MS_RASTER_IMG_CHANNELS	Sets the band number to use for Red, Green, Blue and Alpha channels when a file whose format is IMG is attached. The '0' value can be set for the Alpha channel if none is required. When this variable is defined, all attached Erdas IMG rasters will use the same band order. The default value is: MS_RASTER_IMG_CHANNELS 1 2 3 4.

MS\_RASTER\_DISABLE\_IPPCONNECTION If absent, the default socket server port 1924 is used.

If defined, the socket port 1924 is ignored.

MS\_RASTER\_VIEWSAVEASDWG When exporting to DWG, allows the user to control whether or not the raster will be visible, according to the values below.

The raster will be visible in DWG if:

Undefined or set to 0: the raster is displayed in View 1.

Set from 1 to 8: the raster is displayed in the specified View.

Set to 9: the raster is displayed in at least one View.

Set to 10: the raster is displayed in all the Views.

MS\_RASTER\_COMMONGEOREFFILEFORMATS

Set this variable using the extensions of the file formats you wish to use as the default 'Common Geo Ref Raster Formats' file filter for the open dialogs.

Each '\*.ext' should separated using';'. There should be no trailing';'

e.g.: \*.hmr; \*.iTiff; \*.tiff

MS\_RASTER\_COMMONFILEFORMATS Set this variable using the extensions of the file formats you wish to use as the default 'Common Raster Formats' file filter for the open dialogs.

Each '\*.ext' should separated using ';'. There should be no trailing ';'

e.g.: \*.jpg; \*.jpeg; \*.png

MS RASTER TIFFINVERT

If defined and set to a value other than 0, inverts the foreground/background color allocation of monochrome tiff files as soon as the raster is attached.

MS\_RASTER\_SAVEAUTO

Enables Raster Manager Automatic Save mode when closing a DGN or detaching a raster.

If undefined or set to 0, SaveAuto is disabled.

If set to 1, SaveAuto is enabled and the user will not be prompted to update the raster for changes made to the location info of the file.

MS\_RASTER\_NOSHARING

Manages the automatic creation of .sharing.tmp files required for the concurrent access of the same raster file by various instances of the MicroStation application.

If undefined or set to 0, .sharing.tmp files are always generated.

If set to 1, .sharing.tmp file generation is disabled.

MS\_RASTER\_NO\_DETACH\_CONFIRM If defined and set to 0, display an alert dialog asking to confirm the raster detachment(s).

If undefined or set to 1, do not display an alert dialog asking to confirm the raster detachment(s).

MS\_RASTER\_EPSGTABLE\_PATH Enables geotiff positioning using the location parameters found in ASCII files provided on request.

The required ASCII files are:

CoordSysData.txt

ProjectionData.txt

UnitsData.txt

If undefined or set to 0, hard coded tables are used for Geotiff positioning.

If set to 1, ASCII files are used for Geotiff positioning.

MS\_RASTER\_DEFAULTSISTER If set to 0 or 1, the default sister file will be HGR.

If set to 2, the default sister file will be WorldFile.

MS\_RASTER\_DEFAULTSCALE If defined and set to 1, a raster without georeference which is attached without the use of the "Place interactively" toggle has the following scale assigned:

scale factor = MS\_RASTER\_DEFAULTSCALE

The pixel size is deduced from the scale factor and dpi. If undefined, a raster without georeference which is attached without the use of the 'Place interactively' toggle has the following scale assigned:

1 pixel = 1 sub-unit. The scale factor is deduced from pixel size and dpi.

If defined and set to any other value, the value is invalid and MS\_RASTER\_DEFAULTSCALE is ignored (same behavior as undefined).

MS RASTER 1BIT WORKMODE If defined and set to 1, harmonizes monochrome raster display so they are handled like Raster Reference attachments.

Raster Reference was the default module provided with MicroStation/J that handled raster display, previous to Raster Manager for MicroStation V8i (SELECTseries 2).

MS\_RASTER\_DEFAULT\_LEVEL This variable allows users to define the Level for raster elements when upgrading to MicroStation V8i (SELECTseries 2). The value is the LevelName.

MS\_RASTER\_TRANSPARENCY If defined and set to 1, Raster Manager sets the background transparency value according to this variable, as specified in the Raster Manager Transparency dialog box.

Possible values are 0 to 255, where 255 is 100% transparency.

If undefined or set to 0, has no effect.